EHA 2025 Congress

June 12–15, 2025 Milan, Italy

MultipleMyelomaHub

TOP ABSTRACTS

To help navigate the exciting content being presented at the 30th European Hematology Association (EHA) Congress, the Multiple Myeloma Hub Steering Committee members have provided their recommendations for the top abstracts to look out for in multiple myeloma.

EHA 2025: Top abstracts in MM

June 12-15, 2025

Newly diagnosed multiple myeloma

| Abstract | Title | Speaker | Date and time (CEST) |
|----------------|---|-------------------------------|----------------------------------|
| S185 View | Integrative multiomic analysis of multiple myeloma identifies molecular predictors of MRD in the MIDAS trial | Stéphane Minvielle | Thursday, June 12 17:00–17:15 |
| S186 View | Multiomics characterization of minimal residual disease (MRD) kinetics in multiple myeloma (MM) patients reveals that early immunotherapy interception drives clinical benefit in experimental models | Noelia Collado- Gisbert | Thursday, June 12 17:15–17:30 |
| S194 View | Carfilzomib induction, consolidation, and maintenance with or without autologous stem- cell transplant: Long-term follow-up of the randomised, phase 2 FORTE trial | Francesca Gay | Thursday, June 12 18:00–18:15 |
| S199 View | Circulating tumor cells for the staging of multiple myeloma: A European pooled analysis of 2446 newly diagnosed patients | Luca Bertamini | Friday, June 13 18:00–18:15 |
| PF733 View | Extended dosing schedule of belantamab mafodotin in combination with daratumumab, lenalidomide and dexamethasone in patients with newly diagnosed multiple myeloma: The phase 1/2 BelaDRd study | Evangelos Terpos | Friday, June 13 18:30 |
| PS1711 View | Updated results of a phase I open-label single- arm study of dual targeting BCMA and CD19 FASTCAR-T (GC012F/AZD0120) as first-line therapy for transplant-eligible newly diagnosed high-risk multiple myeloma | Juan Du | Saturday, June 14 18:30 |
| PS1763 View | Health-related quality of life in patients with transplant-ineligible or transplant-deferred newly diagnosed multiple myeloma (MM) in the phase 3 CEPHEUS trial | Vania Hungria | Saturday, June 14 18:30 |
| S205 View | Minimal residual disease-driven strategy following isatuximab-carfilzomib-lenalidomide- dexamethasone induction in transplant-eligible newly diagnosed multiple myeloma: Primary endpoints of the phase 3 MIDAS trial | Aurore Perrot | Sunday, June 15 11:00–11:15 |
| S206 View | Elranatamab in combination with daratumumab and lenalidomide (EDR) in patients with newly diagnosed multiple myeloma (NDMM) not eligible for transplant: Initial results from MagnetisMM-6 part 1 | Meletios A. Dimopoulos | Sunday, June 15 11:15–11:30 |

Newly diagnosed multiple myeloma (continued)

| Abstract | Title | Speaker | Date and time (CEST) |
|--------------|---|--------------------|--------------------------------|
| S207 View | A randomized, multi-center study of carfilzomib, lenalidomide and dexamethasone (KRd) with or without daratumumab (D) for the treatment of patients with newly diagnosed multiple myeloma (NDMM): The ADVANCE clinical trial | C. Ola Landgren | Sunday, June 15 11:30–11:45 |
| S208 View | Analysis of sustained MRD negativity in patients with newly diagnosed multiple myeloma treated with carfilzomib-lenalidomide-dexamethasone with or without isatuximab (phase III ISKIA trial) | Francesca Gay | Sunday, June 15 11:45–12:00 |
| S209 View | Isatuximab, carfilzomib, lenalidomide, and dexamethasone Isa-KRD) for high-risk (HR) newly diagnosed multiple myeloma (NDMM): First-time report of the full cohort of transplant-eligible (TE) patients in the GMMG-CONCEPT trial | Lisa Leypoldt | Sunday, June 15 12:00–12:15 |

Relapsed/refractory multiple myeloma

| Abstract | Title | Speaker | Date and time (CEST) |
|---------------|---|---------------------------|-----------------------------------|
| S192 View | Long-term (≥5 year) remission and survival after treatment with ciltacabtagene autoleucel in CARTITUDE-1 patients with relapsed/refractory multiple myeloma | Sundar Jagannath | Thursday, June 12 17:30–17:45 |
| PF728 View | Updated results from phase 3 DREAMM-8 study of belantamab mafodotin plus pomalidomide and dexamethasone vs pomalidomide plus bortezomib and dexamethasone in relapsed/refractory multiple myeloma | Meletios A. Dimopoulos | Friday, June 13, 18:30 |
| S100 View | First-in-human study of JNJ-79635322 (JNJ-5322), a novel, next-generation trispecific antibody, in patients with relapsed/refractory multiple myeloma: Initial phase 1 results | Rakesh Popat | Saturday, June 14, 11:45–12:00 |
| S200 View | Talquetamab + cetrelimab in patients with relapsed/refractory multiple myeloma: Initial safety and efficacy results from the phase 1b TRIMM-3 study | Aurore Perrot | Saturday, June 14, 17:00–17:15 |
| S201 View | Phase 2 registrational study of anitocabtagene autoleucel for relapsed and/or refractory multiple myeloma (RRMM): Updated results from IMMAGINE-1 | Gurbakhash Kaur | Saturday, June 14, 17:15–17:30 |
| S202 View | Linvoseltamab + carfilzomib in patients with relapsed/refractory multiple myeloma: Initial results from the LINKER-MM2 trial | Salomon Manier | Saturday, June 14, 17:30–17:45 |

| Relapsed/refractory multiple myeloma (continued) | | | |
|--|---|------------------------------|-----------------------------------|
| Abstract | Title | Speaker | Date and time (CEST) |
| S203 View | Isatuximab subcutaneous via an on-body delivery system versus isatuximab intravenous, plus pomalidomide and dexamethasone, in relapsed/ refractory multiple myeloma: The randomized phase 3 IRAKLIA study | Xavier Leleu | Saturday, June 14, 17:45–18:00 |
| S204 View | Daratumumab or observation for minimal residual disease reappearance in multiple myeloma: Results from the PREDATOR-MRD randomized trial | Krzysztof Jamroziak | Saturday, June 14, 18:00–18:15 |
| PS1727 View | Mezigdomide (MEZI) in novel combinations for relapsed or refractory multiple myeloma (RRMM): Updated results from the CA057-003 trial | Fredrik Schjesvold | Saturday, June 14, 18:30 |
| PS1728 View | Absolute lymphocyte count as a key biomarker for monitoring safety after ciltacabtagene autoleucel | Yi Lin | Saturday, June 14, 18:30 |
| PS1736 View | Talquetamab vs real-world physician's choice in patients with relapsed/refractory multiple myeloma and prior B-cell maturation antigen therapy: Updated analyses of MonumenTAL-1 vs LocoMMotion/MoMMent | María- Victoria Mateos | Saturday, June 14, 18:30 |
| PS1764 View | Outpatient step-up dosing and safety with talquetamab: A real-world Mayo clinic study | Shaji Kumar | Saturday, June 14, 18:30 |
| LB4001 View | Phase 2 study of talquetamab + teclistamab in patients with relapsed/refractory multiple myeloma and extramedullary disease: RedirecTT-1 | Shaji Kumar | Sunday, 15 June, 09:15–09:30 |

Other plasma cell dyscrasias

| Abstract | Title | Speaker | Date and time (CEST) |
|----------------|--|-------------------------|---------------------------------|
| S195 View | The evaluation of circulating tumor cells as a prognostic biomarker in newly diagnosed light chain amyloidosis | loannis Kostopoulos | Friday, June 13, 17:00–17:15 |
| S197 View | Multiomic characterization of clonotypic B cells in patients (pts) with light-chain amyloidosis (AL) and multiple myeloma (MM) | Carmen Gonzalez | Friday, June 13, 17:30–17:45 |
| S198 View | Identifying an ultra-poor risk 'Mayo stage IIIC' group in systemic al amyloidosis in the daratumumab-era: A European collaboration | Jahanzaib Khwaja | Friday, June 13, 17:45–18:00 |
| PS1748 View | Increased risk of infections in individuals with smoldering multiple myeloma: Results from the screened iStopMM study | Lærke Sloth Andersen | Saturday, June 14, 18:30 |



Follow us on X to keep up to date with the latest from the congress



MultipleMyelomaHub

Brought to you by



This educational resource is supported through funds from pharmaceutical companies—a full list of our supporters can be found at **multiplemyelomahub.com.** All content is developed independently by SES in collaboration with the faculty. The funders are allowed no influence on the content of this resource.